# **SAFETY DATA SHEET**



### VH103PRD5N

#### Section 1. Identification **GHS** product identifier : Novavit® 2F928 PRM PROTECT BIO **Product type** : Liquid. SDS # : 2ks9:e3lk:8j8 Relevant identified uses of the substance or mixture and uses advised against **Identified uses** Printing ink or Additive **Uses advised against** Reason Not applicable. **Supplier's details** : Flint Group 14909 N. Beck Road Plymouth, MI 48170 United States : For Product Questions during business hours call: (540) 234-9203 **Emergency telephone** For Health and Safety Questions during business hours call: (734) 781-4600 number (with hours of 24 Hour Emergency Spill Contact call: (800) 424-9300 Chemtrec (US/Canada) operation) Section 2. Hazards identification **OSHA/HCS** status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. : Not classified. **Classification of the** substance or mixture Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 14.5% **GHS label elements** Signal word : No signal word. **Hazard statements** : No known significant effects or critical hazards. **Precautionary statements Prevention** : Not applicable. Response : Not applicable. : Not applicable. Storage : Not applicable. Disposal Hazards not otherwise : None known. classified

## Section 3. Composition/information on ingredients

### Substance/mixture

: Mixture

Ingredient name	%	CAS number
Resin acids and Rosin acids, calcium salts	.5 - 1.5	9007-13-0

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

Potential acute healt	th effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs	s/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate med	lical	attention and special treatment needed, if necessary
Notes to physician		In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	1	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

### See toxicological information (Section 11)

		Date of issue/Date of revision	: 3/1/2018	Date of previous issue	: 1/22/2018	Version : 1.06
--	--	--------------------------------	------------	------------------------	-------------	----------------

2/8

## Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.		
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for co	nta	ainment and cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.		

Date of issue/Date of revision	: 3/1/2018	Date of previous issue	: 1/22/2018	Version : 1.06	3/8

**Control parameters** 

## Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Storage temperature: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Occupational exposure limits** None. **Appropriate engineering** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. controls Individual protection measures **Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. **Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. **Skin protection** Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. **Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected **Other skin protection** based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Based on the hazard and potential for exposure, select a respirator that meets the **Respiratory protection** appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Date of issue/Date of revision	: 3/1/2018	Date of previous issue	: 1/22/2018	Version : 1.06	4/8
--------------------------------	------------	------------------------	-------------	----------------	-----

## Section 9. Physical and chemical properties

### <u>Appearance</u>

Physical state	:	Liquid.
Color	:	Red.
Odor	:	Not available.
Odor threshold	1	Not available.
рН	1	Not available.
Melt point/Freeze point	1	Not available.
Boiling point	1	Not available.
Flash point	:	Higher than 93.3°C (200°F).
Evaporation rate	1	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	1	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Kinematic (room temperature): >4 cm <sup>2</sup> /s (>400 cSt)
Density	:	8.34 lbs/gal
VOC data		
VOC % by weight	1	4.6
VOC % by volume	:	4.6
VOC lbs/gallon	:	0.38
VOC lbs/gal less water	:	0.38

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Date of issue/Date of revision : 3/1/2018 Date of previous iss	ue : 1/22/2018 Version : 1.06 5/8
--	-----------------------------------

## Section 11. Toxicological information

### Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Resin acids and Rosin acids, calcium salts	-	-	>2000 mg/kg	-
Specific target organ toxicit	<u>y (single exposure)</u>			
Not available.				
Specific target organ toxicit	<u>y (repeated exposure)</u>			
Not available.				
Aspiration hazard Not available.				
Information on the likely routes of exposure	: Not available.			
Potential acute health effects	È.			
Eye contact	: No known significant ef	fects or critical hazards		
Inhalation	: No known significant ef	fects or critical hazards		
Skin contact	: No known significant ef	fects or critical hazards		
Ingestion	: No known significant ef	fects or critical hazards		
Symptoms related to the phy	sical, chemical and toxico	ological characteristic	<u>:s</u>	
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	•			
Delayed and immediate effec	ts and also chronic effect	s from short and long	<u>term exposure</u>	
Short term exposure				
Potential immediate effects	: Not available.			
Potential delayed effects	Not available.			
Long term exposure				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Potential chronic health effe	ects			
Not available.				
General	: No known significant ef	fects or critical hazards		
Carcinogenicity	: No known significant ef	fects or critical hazards		
Mutagenicity	: No known significant eff	fects or critical hazards		
Teratogenicity	: No known significant eff	fects or critical hazards		
<b>Developmental effects</b>	: No known significant eff	fects or critical hazards		
Fertility effects	: No known significant ef	fects or critical hazards		

6/8

## Section 11. Toxicological information

## Section 12. Ecological information

**Toxicity** 

Not available. Persistence and degradability

Not available.

**Bioaccumulative potential** 

Not available.

### **Mobility in soil**

Not available.

Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ	
UN number	Not applicable.	Not applicable.	Not applicable.	Not applicable.	
UN proper shipping name					
Transport hazard class(es)					
Packing group					
Environmental hazards					
Additional information	-	-	-	-	

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision

## Section 15. Regulatory information

U.S. Federal regulations SARA 311/312	: United States inventory (TSCA 8b): All components are listed or exempted.			
Classification	: Not applicable.			
<u>SARA 313</u>				
	Product name	CAS number	%	
Form R - Reporting requirements	manganese neodecanoate	27253-32-3	2.52	
Supplier notification	manganese neodecanoate	27253-32-3	2.52	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

## Section 16. Other information

<u>History</u>	
Date of printing	: 5/19/2018
Date of issue/Date of revision	: 3/1/2018
Date of previous issue	: 1/22/2018
Version	: 1.06
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

✓ Indicates information that has changed from previously issued version.

### Notice to reader

Flint Group has prepared this Safety Data Sheet ("SDS") in compliance with 29 CFR 1910.1200, understands that its customers may use this SDS to comply with that section, and believes that the data set forth herein are accurate as of the date hereof; however, this SDS shall not constitute a warranty with respect thereto.

D	ate of issue/Date of revision	: 3/1/2018	Date of previous issue	: 1/22/2018	Version : 1.06	8/8
---	-------------------------------	------------	------------------------	-------------	----------------	-----