

SAFETY DATA SHEET

Issuing Date: 10-Mar-2022 Version 1

DT-2R PLATE DEVELOPER REPLENISHER

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name DT-2R PLATE DEVELOPER REPLENISHER

Product code 900000036 Product Code(s) 55815320

Product Use PS Plate Developer Replenisher - CTP.

Distributed in the USA by

FUJIFILM North America Corporation

200 Summit Lake Drive Valhalla, NY 10595-1356 Distributed in Canada by FUJIFILM Canada, Inc.

600 Suffolk Ct.

Mississauga, Ontario L5R 4G4 Distributed Internationally by

FUJIFILM North America Corporation

200 Summit Lake Drive Valhalla, NY 10595-1356

website(s):

SDSs are available at the following https://www.fujifilm.com/us/en/support/sds/search

Company Phone Number U.S.A: 800-473-3854 Canada: 800-263-5018

Emergency Telephone Transport-CHEMTREC Inside NA: 800-424-9300

Transport-CHEMTREC Outside NA: 703-527-3887 Transport-CANUTEC Inside Canada: 613-996-6666 Medical Emergency (24 hour): 877-935-7387

EHS@fujifilm.com E-mail

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1

Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

GHS Label elements, including precautionary statements

Danger

Hazard Statements

Harmful if swallowed Causes severe skin burns and eye damage May be corrosive to metals



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Absorb spillage to prevent material damage

Storage

Store in corrosive resistant polyethylene container with a resistant inner liner

Disposa

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not classified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
POTASSIUM HYDROXIDE	1310-58-3	10-30%

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Immediate medical attention is required.

Eye contact Keep eye wide open while rinsing. Do not rub affected area. Call a physician immediately.

In case of contact with substance, immediately flush eyes with running water for at least 30

minutes.

Skin contact Wash off immediately with plenty of water for at least 30 minutes. Remove contaminated

clothing and shoes. Call a physician immediately.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON

CENTER or doctor/ physician.

Most important symptoms and effects, both acute and delayed

Burning sensation. Redness.

Indication of any immediate medical attention and special treatment needed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None known.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. Not flammable.

Hazardous Combustion Products

Carbon oxides. Potassium oxides.

Explosion Data

Sensitivity to Mechanical Impact none

Sensitivity to Static Discharge none

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment. Cover liquid spill with sand, earth or other

noncombustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly. After cleaning, flush away

traces with water.

Other information Refer to protective measures listed in Sections 7 and 8.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Store in original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs
POTASSIUM HYDROXIDE	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	

Appropriate engineering controls

Engineering Measures Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Face-shield.

Skin and body protection Wear protective gloves/clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wear suitable gloves and eye/face protection. Take

off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. For environmental protection, remove and wash all contaminated protective equipment before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearancelight yellowPhysical stateLiquidFormLiquid

Odor Odorless Odor Threshold Not available

pH 14

Specific Gravity1.3Molecular WeightNot availableFlash pointNoneAutoignition temperatureNot available

Decomposition temperatureNot availableBoiling point / boiling range> 212 °F / > 100 °CMelting point / melting rangeNot availableFreezing PointNot available

Flammability Limit in Air Not available

Oxidizing Properties Not available **Explosive Properties** Not available Soluble in water Not available Solubility Partition coefficient Not available Not available **Evaporation rate** Vapor Pressure Vapor density No data available Density Not available

VOC (lb/gal) 0 **VOC (g/l)** 0

Dynamic viscosity

Not available

10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Excessive heat. Exposure to air or moisture over prolonged periods.

Incompatible materials

Strong oxidizing agents. Strong acids. Metals.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Acute toxicity

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system. May

cause additional effects as listed under "Ingestion".

Eyes Causes burns. Risk of serious damage to eyes.

Skin Causes burns.

Ingestion Harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
POTASSIUM HYDROXIDE	214 mg/kg (Rat)		

Symptoms related to the physical, chemical and toxicological characteristics

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationCauses severe irritation and or burns.CorrosivityCorrosive to skin. Corrosive to eyes.

SensitizationNo information available.Mutagenic EffectsNo information available.Reproductive ToxicityNo information available.

Carcinogenicity None known.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Target organ effects Eyes, Respiratory system, Skin, Gastrointestinal tract (GI).

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1995 mg/kg

ATE: Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and degradability

No information available.

Bioaccumulation

Chemical name	Partition coefficient
POTASSIUM HYDROXIDE	0.65 0.83
	0.83

Mobility

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with local regulations.

Contaminated packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name Potassium hydroxide solution

UN/ID No UN1814

Transport hazard class(es) 8
Packing Group ||

Description UN1814, Potassium hydroxide solution, 8, II

Emergency Response Guide 154

Number

Packaging Exceptions 154
Non-bulk Packaging 202
Bulk Packaging 242

TDG

Proper Shipping Name Potassium hydroxide solution

UN/ID No UN1814
Transport hazard class(es) 8
Packing Group II

Description UN1814, Potassium hydroxide solution, 8, II

MEX

Proper Shipping Name Potassium hydroxide solution

UN/ID No UN1814
Transport hazard class(es) 8
Packing Group ||

Description UN1814, Potassium hydroxide solution, 8, II

ICAO (air)

Proper Shipping Name Potassium hydroxide solution

UN/ID No UN1814
Transport hazard class(es) 8
Packing Group ||

Description UN1814, Potassium hydroxide solution, 8, II

IATA

Proper Shipping Name Potassium hydroxide solution

UN number or ID number UN1814
Transport hazard class(es) 8
Packing group II

Description UN1814, Potassium hydroxide solution, 8, II

IMDG

UN proper shipping name Potassium hydroxide solution

UN number or ID number
Transport hazard class(es)
Packing group
II
EmS-No.
UN1814
8
8
F-A, S-B

Description UN1814, Potassium hydroxide solution, 8, II

ADR

Proper Shipping Name Potassium hydroxide solution

UN/ID No UN1814
Transport hazard class(es) 8

Description UN1814, Potassium hydroxide solution, 8, II

ADN

Proper Shipping Name Potassium hydroxide solution

UN/ID No UN1814

Transport hazard class(es) 8
Packing Group || Classification Code C5

Description UN1814, Potassium hydroxide solution, 8, II

Limited quantity 1 L

15. REGULATORY INFORMATION

International Inventories

TSCA Yes **DSL/NDSL** Yes **PICCS** Yes **EINECS/ELINCS** No **ENCS** Yes **IECSC** Yes **KECL** Yes **AIICS** Yes

*No - Indicates the component(s) of this product are either not listed or have not been determined to be listed on the inventory.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIICS - Australian Inventory of Industrial Chemicals

U.S. Federal Regulations

TSCA Sections 4, 5 and 12(b)

This product does not contain any chemicals regulated by TSCA Sections 4, 5 or 12(b).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS.

Clean Water Act.

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):.

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
POTASSIUM HYDROXIDE	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):.

^{*}Yes - All component(s) of this product are included or are exempt from listing on the inventory.

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
POTASSIUM HYDROXIDE	1000		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
POTASSIUM HYDROXIDE	Χ	X	Χ		X

International Regulations

Canada - NDSL

This product does not contain any NDSL chemicals.

Mexico - Grade

Slight risk, Grade 1

Mexico - Carcinogen Status and Exposure Limits

No information available

Chemical name	Mexico	Exposure Limits
POTASSIUM HYDROXIDE		Mexico: Ceiling 2 mg/m ³

Other Regulations

No information available.

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 1 Instability 0 Special hazards -

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection B

Prepared By FUJIFILM Environment, Health and Safety, phone: 800-473-3854

Revision Date 10-Mar-2022

Revision Note No information available

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in

any process, unless specified in the text.

end